

Comparison of Albedo, Temperature, and NDVI among Different Cover Types in Connecticut

Presentation on June 30th
Ziyan Chu

Objective

- Land cover types: Conifer, Deciduous, Grass, Urban and Water
- Objectives:
 - Surface Temperature (Kelvin)
 - Albedo
 - NDVI

Landsat Image


- Landsat 7 ETM+, SLC (Scan Line Corrector) – on
 - 8 bands totally
 - 2 thermal band
- Landsat 4-5 TM
 - 7 bands totally

Methods

- Images through a year: Mar, Apr, June, July, Aug, Nov
- Land cover: conifer, deciduous, grass, urban, water
- Step:
 - Create polygons (ROI) for each land cover type
 - Use the polygons from one image for other images
 - Calculate the average value for each type of polygon


Landsat 7, SLC - on (741-RGB)

○ Mar




Landsat 7, SLC - on (741-RGB)

○ Apr




Landsat 7, SLC - on (741-RGB)

○ June




Landsat 7, SLC - on (741-RGB)

○ Junly




Landsat 7, SLC - on (741-RGB)

○ Aug




Landsat 7, SLC - on (741-RGB)

○ Oct 20




Landsat 7, SLC - on (741-RGB)

○ Nov, 1999




Polygons for Landsat 7 from the image in Apr

○ Conifer




Polygons for Landsat 7 from the image in Apr

○ Deciduous




Polygons for Landsat 7 from the image in Apr

○ Grass




Polygons for Landsat 7 from the image in Apr

○ Urban




Polygons for Landsat 7 from the image in Apr

○ Water




Landsat 4-5 TM (741-RGB)

○ Mar




Landsat 4-5 TM (741-RGB)

○ Apr




Landsat 4-5 TM (741-RGB)

○ June




Landsat 4-5 TM (741-RGB)

○ July




Landsat 4-5 TM (741-RGB)

○ Aug




Landsat 4-5 TM (741-RGB)

○ Oct 28




Polygons for Landsat 4-5 TM from the image in Apr

○ Conifer



Polygons for Landsat 4-5 TM from the image in Apr

○ Deciduous




Polygons for Landsat 4-5 TM from the image in Apr

○ Grass



Polygons for Landsat 4-5 TM from the image in Apr

○ Urban



Polygons for Landsat 4-5 TM from the image in Apr



○ Water



Calculation

- Albedo_Liang: Convert Landsat reflective band DN's to reflectance. Use Liang method to weight reflectances and obtain overall albedo.
- Albedo_Mean: Convert Landsat reflective band DN's to reflectance. Get the average value from all the bands.
- Temperature (K): Convert Landsat thermal band DN's to radiance. Then convert radiance to Temperature (K) by $1260.56 / \log_{10} ((607.76 / B1) + 1)$
- NDVI: $(\text{NIR} - \text{RED}) / (\text{NIR} + \text{RED})$


Albedo comparison




Left: Landsat 7, Right: Landsat 4-5

Landsat 7


Albedo_Liang




Albedo_Mean



Temperature (K)




NDVI




Landsat 5


Albedo_Liang




Albedo_Mean



Temperature (K)



NDVI




Next step for temperature

- Get the sounding information to calculate the air temperature at 925m and 850m
- Calculate the air temperature for all the polygons (at different altitudes)
- See how much differences between air temperature and the surface temperature got previously (exclude the influence of warmer or colder days)


Thank You

Snow issue (Landdat 7)

Albedo_Liang (with snow)




Albedo_Mean (with snow)





Temperature (with snow)




NDVI (with snow)





Relative Temperature (Landsat 7)






Insolation (W/m²)




Air Temperature





Relative Temperature (Landsat 5)



Insolation (W/m²)




Air Temperature




Relative Temperature (with snow)


Albedo_Liang (with snow)




Albedo_Mean (with snow)




Temperature (with snow)




Relative Temperature (with snow)




Localized Polygons (Replicas)




Replica 1




Replica 2




Replica 3



Replica 4




Replica 5




Replica 1


- Albedo
 - Liang
 - Tasumi
 - Average
- NDVI
- Relative Temperature




Albedo_Liang




Albedo_Tasumi




Albedo_Mean




Temperature (K)




NDVI



Insolation (W/m²)




Air Temperature



Note: Altitude of Deciduous is higher than Conifer in this case.

Replica 1



lica 1 vs Whole

